



Yamaha YZF R1 (2004)

Slip-On Exhaust System

Akrapovic Slip-On Exhaust System

for the YAMAHA YZF R1 (2004)

For the 2004 Yamaha R1 we present a basic version of the Akrapovic SLIP-ON exhaust system with two mufflers and two link pipes. We have also developed an extended version with an optional Y- connecting tube. The basic Akrapovic SLIP-ON system allows the use of the stock catalytic converter. The version with the optional Y- connecting tube extends past the point where the catalytic converter is located, so that the catalytic converter is removed. There is no major difference in performance between the two systems. However, they both outperform the stock system in both power and torque. The system is intended for riders who do not wish to make major exhaust system modifications.

PERFORMANCE

Measurements of the Akrapovic SLIP-ON system on the YAMAHA YZF R1

Power: performance measurements were made on both systems. The difference is minimal, with the advantage going to the option with the optional Y-connecting tube, which is slightly better in the middle of the rpm range. There is also a slight difference at the top end, but this does not affect the riding characteristics. Despite being only a first-stage tuning component, the system adds quite a bit of power to the stock engine figures. The standard option without the Y-connecting tube puts out 159.6 HP at 12800 rpm. The option with the optional Y-connecting tube was measured at 159.4 HP at 12700 rpm.

Torque: the torque curves of the two options are also very similar. There is a significant increase over the stock torque curve, especially above 6000 rpm.

CONFIGURATION

The basic configuration of the Akrapovic SLIP-ON system for the Yamaha R1 is as follows: the system includes two mufflers, either titanium or carbon-fiber, attached under the seat with carbon-fiber clamps. The cylindrical link pipes are made of titanium and are welded to the mufflers. The connections of the link pipes to the stock header assembly are free-floating joints secured with metal clamps. **The system uses the stock catalytic converter.**

The Y-connecting tube can be ordered as an option, which expands the basic configuration as follows: The basic system continues with the optional Y- connecting tube, which is conical and made of stainless steel. The Akrapovic Y-connecting tube replaces the stock Y- connecting tube where the catalytic converter is located. **The catalytic converter cannot be mounted in the Akrapovic Y- connecting tube.** The link pipes and the Y-connecting tube are attached with free-floating joints secured with metal tensioning springs, as is the joint between the Y-connecting tube and the collector.

OPTIONS

Both Akrapovic SLIP-ON systems are available with either a titanium or carbon-fiber muffler outer sleeve.

	PERFORMANCE		
	stock	AKRAPOVIC	max. increased power
max. rear wheel power HP / rpm <small>(measured on SuperFlow Cycle Dyn)</small>	157.9 / 12770	159.6 / 12800 159.4 / 12700 (with Y- connecting tube)	4 / 8400 5.4 / 8360 (with Y-connecting tube)

	CONFIGURATION			
	header tubes	collector	Y-connecting tube	link pipe
material	-	-	STAINLESS STEEL	TITANIUM
tube shape	-	-	CONICAL	CYLINDRICAL

interference crossover tubes	-	lambda sensor	YES
header tube inner sleeves	-	header tube flanges	-
header tubes - collector connection	-	collector - Y-connecting tube - link pipe connection	FREE FLOATING + METAL CLAMPS
link pipe - muffler connection	WELDED	muffler inlet cap /outlet cap	TITANIUM / TITANIUM
muffler metal interior	TITANIUM	muffler outer sleeve	TITANIUM / CARBON-FIBER
muffler clamp	CARBON-FIBER ROAD	muffler bracket	-
noise damper	-	heat shield	-

OPTIONS				
link pipe	noise damper	muffler outer sleeve	muffler bracket	heat shield
-	-	TITANIUM / CARBON-FIBER	-	-

	ADDITIONAL DATA				
	stock	AKRAPOVIC		difference	
		S.S. link pipe	TITANIUM link pipe	stock - S.S.	stock - titanium
weight comparison (kg)	4.12 5.56 (with Y- connecting tube)	-	3.20 3.80 (with Y- connecting tube)	-	0.92 1.76 (with Y- connecting tube)
noise measurements (dB / rpm)	stock 97 / 6250		AKRAPOVIC 100.9 / 6250		
possibility of periodic service without removing A.E.S.	oil YES		oil filter YES		
legal for street use	NO				

Technical specifications of Akrapovic exhaust systems and related products subject to change without notice.



Akrapovic Slip-On Exhaust System for the YAMAHA YZF R1 (2004)



CARBON-FIBER
MUFFLER CLAMPS

Road
Program

Product code: 102674 (S-Y10SO6-DTC), 102675 (S-Y10SO6-DTT)

Akrapovic Slip-On Exhaust System for the YAMAHA YZF R1 (2004)



CARBON-FIBER
MUFFLER CLAMPS

Road
Program

Product code: 102674 (S-Y10SO6-DTC), 102675 (S-Y10SO6-DTT)

Akrapovic Slip-On Exhaust System for the YAMAHA YZF R1 (2004)



Akrapovic Exhaust System Technology copyright 2004, all rights reserved

Road
Program

Product code: 102674 (S-Y10SO6-DTC), 102675 (S-Y10SO6-DTT)

Akrapovic Slip-On Exhaust System for the YAMAHA YZF R1 (2004)



Akrapovic Exhaust System Technology copyright 2004, all rights reserved


Road Program

Product code: 102674 (S-Y10SO6-DTC), 102675 (S-Y10SO6-DTT)



Akrapovic Slip-On Exhaust System

for the YAMAHA YZF R1 (2004)




Akrapovic Exhaust System Technology copyright 2004, all rights reserved

Road Program



Akrapovic Slip-On Exhaust System

for the YAMAHA YZF R1 (2004)




Road Program

Product code: 102674 (S-Y10SO6-DTC), 102675 (S-Y10SO6-DTT)



Akrapovic Exhaust System Technology copyright 2004, all rights reserved

Akrapovic Slip-On Exhaust System for the YAMAHA YZF R1 (2004)



Road Program

Product code: 102674 (S-Y10SO6-DTC), 102675 (S-Y10SO6-DTT)



Akrapovic Exhaust System Technology copyright 2004, all rights reserved